

### Section 54 Waterproofing

### Section 54 Waterproofing

#### 4-5401 General

Waterproofing consists of sealing concrete surfaces to prevent the passage of water. Dampproofing consists of treating concrete surfaces to retard the passage or absorption of water or water vapor. Section 54, “Waterproofing,” of the *Standard Specifications*, provides for asphalt membrane waterproofing and dampproofing. Other types of waterproofing may be specified in the special provisions.

#### 4-5401 General

#### 4-5402 Before Work Begins

Before work starts, do the following:

- Verify the receipt and proper distribution of Form CEM-3101, “Notice of Materials to Be Used,” which covers waterproofing materials.
- Upon delivery of the waterproofing materials, note whether they are identified by marks or inspection tags.
- You may accept waterproofing fabric on the basis of a Certificate of Compliance. For the fabric, complete Form CEM-4102, “Material Inspected and Released on Job.”

#### 4-5402 Before Work Begins

#### 4-5403 During the Course of Work

During the work, do the following:

- Sample waterproofing materials in accordance with Section 6-1, “Sample Types and Frequencies,” of the *Construction Manual*.
- Ensure the contractor prepares surfaces to be waterproofed or dampproofed as specified.
- For applying primer or asphalt, ensure weather conditions meet the specifications.
- Ensure the temperature of waterproofing asphalt is within the specified range.
- Inspect the operation to ensure the contractor applies asphalt membrane waterproofing and dampproofing as specified.

#### 4-5403 During the Course of Work

#### 4-5404 Measurement and Payment

Field measure areas covered by asphalt membrane waterproofing and dampproofing.

#### 4-5404 Measurement and Payment